

200 X 200 MM

8X8 INCH

CERAMIC WALL TILE

PLAIN (GLOSSY & MATT)

introduces to you a solitary gem, an amalgamation of color and exotic designs. This assemblage is sort in order to fulfill the need of the hour of both domestic and cosmopolitan market. A definite eye-turner, and eye-catching extravaganza.

200X
200
MM

All of our products can endure harsh conditions and are long lasting as they are personally matured under stern scrutiny. Each and every design is developed under fully automatic Italian machineries. All of our best efforts are teamed together to achieve unparalleled results.

The management at _____ has been maintaining its top game. They are highly professional, competent, and accomplished to attain the vision of making _____ the most trusted brand in the tiles industries.



PLAIN

CERAMIC
WALL TILE


200X200MM

18 GLOSSY FINISH COLORS


Embrace the spectrum of possibility with our glossy tiles, painting your world with vibrant colors.

06 MATT FINISH COLORS


Create a serene ambiance with our matte-finish tiles, offering a wide range of calming colors.



COLORS IN | **SIZE.**
GLOSSY SURFACE | **200X200MM | 8"X8"**




WHITE




LIGHT GREY




GREY




BLACK



IVORY



RED BROWN




ALPINE BLUE



AQUA BLUE



AQUA GREEN



T BLUE



THUNDER BLUE




P BLUE

SURFACE |  **WALL**
GLOSSY | **TILE**

COLORS IN | **SIZE.**
GLOSSY SURFACE | **200X200MM | 8"X8"**



OASIS GREEN



PINK



MANGO YELLOW



YELLOW



ORANGE






BLOOD RED

SURFACE |  **WALL**
GLOSSY | **TILE**



WHITE
PLAIN | GLOSSY



GREY
PLAIN | GLOSSY



BLACK
PLAIN | GLOSSY



AQUA GREEN
PLAIN | GLOSSY



THUNDER BLUE | P BLUE
PLAIN | GLOSSY

The logo for AAAAS Resort is mounted on a light blue wall with a white grid pattern. It features a stylized icon of three vertical lines of varying heights to the left of the text. The word "AAAAS" is in a large, bold, sans-serif font, and "Resort" is in a smaller, elegant serif font below it.

AAAAS
Resort

A modern reception desk with a dark, glossy top and a base of vertical wood slats. A silver iMac is on the desk, and a blue upholstered chair is in front. A potted plant is on the left. A geometric light fixture hangs from the ceiling.

T BLUE
PLAIN | GLOSSY



YELLOW
PLAIN | GLOSSY




AQUA BLUE
PLAIN | GLOSSY



AAAAS
Resort

ORANGE
PLAIN | GLOSSY




OASIS GREEN
PLAIN | GLOSSY



BLOOD RED
PLAIN | GLOSSY


COLORS IN | **SIZE.**
MATT SURFACE | **200X200MM | 8"X8"**




WHITE



GREY




IVORY



T BLUE



BLOOD RED



BLACK

SURFACE |  **WALL**
MATT | **TILE**



WHITE
PLAIN | MATT



BLACK
PLAIN | MATT

TECHNICAL SPECIFICATION as per ISO 13006:2018 – ANNEXL

Sr.No.	Property	International Std.	Our Tiles Value	Method of Testing
1	Deviation in Length and Width	± 0.6%	± 0.37%	ISO-10545-2
2	Deviation in Thickness	± 10%	± 4.41%	ISO-10545-2
3	Straightness of Sides	± 0.5%	± 0.30%	ISO-10545-2
4	Rectangularity	± 0.5%	± 0.38%	ISO-10545-2
5	Surface Flatness	± 0.5%	± 0.14%	ISO-10545-2
5	Water Absorption	>10%	16.56%	ISO-10545-3
6	MOR	Minimum 12 N/mm ³	15.87 N/mm ³	ISO-10545-4
7	Breaking Strength	Minimum 600 N	426.58 N	ISO-10545-4
8	Surface Quality	Minimum 95%	98%	ISO-10545-2
9	Density (g/cc)	Minimum 2.2	2.2484 g/cc	ISO-10545-3
10	Chemical Resistance	Minimum Class B	Class GB (PASS)	ISO-10545-13
11	Crazing Resistance	2 cycle	2 cycle (PASS) Fully Resistance	ISO-10545-11
12	Thermal Shock Resistance	10 cycle	10 cycle (PASS) Fully Resistance	ISO-10545-9
13	Coefficient of Linear Thermal Expansion	Maximum 9 x 10 ⁻⁶	5.92 x 10 ⁻⁶	ISO-10545-8
14	Small colour differences (Plain Colour Tiles)	GL < 0.75	GL < 0.55	ISO-10545-16
15	Resistance to Staining	Min Class - 3	Class 3	ISO-10545-14
16	Resistance to Low Concentration of Acid & Alkali	Class GLA	Class GLB	ISO-10545-13
17	Resistance to Low Concentration of Acid & Alkali	Class GHA	Class GHB	ISO-10545-13
18	Household Chemical Resistance	Minimum Class B	Class GB	ISO-10545-13
19	Swimming Pool Salt	Minimum Class B	Class GB	ISO-10545-13
20	Lead and Cadmium Release	Maximum 0.1mg/dm ²	0.019mg/dm ²	ISO-10545-15

PACKAGING DETAILS

SIZE	TEXTURE	THICKNESS	PIECES/BOX	SQM./BOX	SQFT./BOX	KG/BOX
200X200MM (8"X8")	PLAIN	6.00MM	25	1.00	10.76	10.50

Note :

- Size / shade variation is inherent in ceramic tiles , in case of any complain its should be brought to our dealer's notice before laying the tiles.
- Colour shown are indicative only. Check actual tiles for exact colour.
- The information contained in this catalogue are accurate as possible, but cannot be considered as legally binding.

- Customers are advised to inspect a sample of the tile before ordering.
- The company reserves the right to change the specifications without prior notice.

Exterior Elevation or Interior Walls



