

75X300MM

3X12 INCH
CERAMIC WALL TILE
BEVELLED (GLOSSY & MATT)

We introduces to you a solitary gem, an amalgamation of color and exotic designs. This assemblage is sort in order to fulfill the need of the hour of both domestic and cosmopolitan market. A definite eye-turner, and eye-catching extravaganza.

75X
300
MM

All of our products can endure harsh conditions and are long lasting as they are personally matured under stern scrutiny. Each and every design is developed under fully automatic Italian machineries. All of our best efforts are teamed together to achieve unparalleled results.

The management at we has been maintaining its top game. They are highly professional, competent, and accomplished to attain the vision of making our the most trusted brand in the tiles industries.



**CERAMIC
WALL TILE**

75X300MM

BEVELLED

13 GLOSSY FINISH
COLORS

Dazzle your space with tiles boasting glossy finishes, a symphony of vibrant colors

03 MATT FINISH
COLORS

Enhance your space and opt for matte elegance to suit your aesthetic



COLORS IN GLOSSY SURFACE | **SIZE. 75X300MM | 3"X12"**



WHITE



GREY



BLACK



AQUA BLUE



ICE BLUE



MAGENTA



MINT PISTA



OASIS GREEN



ROYAL YELLOW



WINE RED



ORANGE



BLOOD RED



RED BROWN

SURFACE GLOSSY | **PUNCH BEVELLED** |  **WALL TILE**



WHITE
BEVELLED | GLOSSY

Room

food & wine



BLACK
BEVELLED | GLOSSY





GREY
BEVELLED | GLOSSY





ICE BLUE
BEVELLED | GLOSSY



MINT PISTA
BEVELLED | GLOSSY



OASIS GREEN
BEVELLED | GLOSSY



WINE RED
BEVELLED | GLOSSY



MAGENTA
BEVELLED | GLOSSY



BLOOD RED
BEVELLED | GLOSSY



RED BROWN
BEVELLED | GLOSSY





AQUA BLUE
BEVELLED | GLOSSY



ROYAL YELLOW
BEVELLED | GLOSSY



ORANGE
BEVELLED | GLOSSY

COLORS IN MATT SURFACE | SIZE. 75X300MM | 3"X12"



WHITE MATT



GREY MATT



BLACK MATT

SURFACE MATT | PUNCH BEVELLED |  WALL TILE



BLACK MATT
BEVELLED | MATT



WHITE MATT
BEVELLED | MATT



GREY MATT
BEVELLED | MATT

TECHNICAL SPECIFICATION as per ISO 13006:2018 – ANNEXL

Sr.No.	Property	International Std.	OUR Tiles Value	Method of Testing
1	Deviation in Length and Width	± 0.6%	± 0.10%	ISO-10545-2
2	Deviation in Thickness	± 10%	± 1.88%	ISO-10545-2
3	Straightness of Sides	± 0.5%	± 0.29%	ISO-10545-2
4	Rectangularity	± 0.5%	± 0.25%	ISO-10545-2
5	Surface Flatness	± 0.5%	± 0.17%	ISO-10545-2
5	Water Absorption	>10%	12.95%	ISO-10545-3
6	MOR	Minimum 15 N/mm ³	17.51 N/mm ³	ISO-10545-4
7	Breaking Strength	Not less than 200 N	508.36 N	ISO-10545-4
8	Surface Quality	Minimum 95%	100%	ISO-10545-2
9	Density (g/cc)	Minimum 2.2	2.2423 g/cc	ISO-10545-3
10	Chemical Resistance	Minimum Class B	Class GA (PASS)	ISO-10545-13
11	Crazing Resistance	2 cycle	2 cycle (PASS) Fully Resistance	ISO-10545-11
12	Thermal Shock Resistance	10 cycle	10 cycle (PASS) Fully Resistance	ISO-10545-9
13	Coefficient of Linear Thermal Expansion	Maximum 9 x 10 ⁻⁶	5.45 x 10 ⁻⁶	ISO-10545-8
14	Small colour differences (Plain Colour Tiles)	GL < 0.75	GL < 0.55	ISO-10545-16
15	Resistance to Staining	Min Class - 3	Class 4	ISO-10545-14
16	Resistance to Low Concentration of Acid & Alkali	Class GLA	Class GLA	ISO-10545-13
17	Resistance to Low Concentration of Acid & Alkali	Class GHA	Class GHA	ISO-10545-13
18	Household Chemical Resistance	Minimum Class B	Class GA	ISO-10545-13
19	Swimming Pool Salt	Minimum Class B	Class GA	ISO-10545-13
20	Lead and Cadmium Release	Maximum 0.1mg/dm ²	0.016mg/dm ²	ISO-10545-15

PACKAGING DETAILS

SIZE	TEXTURE	THICKNESS	PIECES/BOX	SQM./BOX	SQFT./BOX	KG/BOX
75X300MM (3"X12")	BEVELLED	8.00MM	44	0.99	10.66	12.500

Note :

- Size / shade variation is inherent in ceramic tiles , in case of any complain its should be brought to our dealer's notice before laying the tiles.
- Colour shown are indicative only. Check actual tiles for exact colour.
- The information contained in this catalogue are accurate as possible, but cannot be considered as legally binding.

- Customers are advised to inspect a sample of the tile before ordering.
- The company reserves the right to change the specifications without prior notice.

Exterior Elevation or interior Walls



