

HARD MATT

G O R G I O U S
beauty


300 X 600 MM
DIGITAL WALL TILES

feel

E V E R
L A S T
I N G



300 X 600 MM
DIGITAL WALL TILES



The appearance of your walls to increase the pleasure of living, for a cultivated person like you. Behold, the finery of these peerlessly pleasing digital wall tiles as we take you to the journey. Our range of vision is classified into glossy and matt finished tiles, so that you could be selective about these carefully crafted, spectacular tiles.



300 X 600 MM
DIGITAL WALL TILES



G  R G I O U S
beauty



HARD MATT



series...

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



ELE-501



ELE-504



ELE-502



ELE-505



ELE-503



ELE-506

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT




ELE-507



ELE-510



ELE-508



ELE-511



ELE-509



ELE-512

300 x 600 MM

DIGITAL WALL TILES


HARD MATT




ELE-513



ELE-516



ELE-514



ELE-517



ELE-515



ELE-518

300 x 600 MM

DIGITAL WALL TILES


HARD MATT



ELE-520




ELE-523



ELE-521



ELE-524



ELE-522



ELE-525

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



ELE-526



ELE-529



ELE-527



ELE-530



ELE-528



ELE-531

300 x 600 MM

DIGITAL WALL TILES

HARD MATT



ELE-532



ELE-535




ELE-533



ELE-536



ELE-534



ELE-537


300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT




ELE-538



ELE-541



ELE-539



ELE-542



ELE-540



ELE-543

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



ELE-544



ELE-545



ELE-546



ELE-549


300 x 600 MM

DIGITAL WALL TILES ...


HARD MATT



ELE-550



ELE-551



ELE-552




ELE-555(R)

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



ELE-556(R)



ELE-559(R)



ELE-557(R)



ELE-560(R)



ELE-558(R)



ELE-561(R)

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



ELE-562(R)



ELE-566(R)



ELE-563(R)



ELE-564(R)

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT




574-LT




575-LT



574-HL



575-HL



574-DK



575-DK

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



ELE-576



ELE-580(R)



ELE-578(R)



ELE-581(R)

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



ELE-582(R)



ELE-585



ELE-583



ELE-586(R)



ELE-584



ELE-588(R)

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



589-DK



ELE-591(R)



589-HL-1(R)



ELE-592(R)



ELE-590



ELE-593(R)


300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



ELE-594(R)



ELE-597



ELE-595(R)



ELE-598



ELE-596



ELE-599(R)

300 x 600 MM

DIGITAL WALL TILES ...

HARD MATT



ELE-600(R)



ELE-603(R)




ELE-601(R)



ELE-604(R)



ELE-602(R)



ELE-605(R)

300 x 600 MM

DIGITAL WALL TILES ...


HARD MATT



ELE-606(R)




ELE-609(R)




ELE-607(R)



ELE-610(R)



ELE-608(R)



ELE-611(R)

> TECHNICAL SPECIFICATION

CHARACTERISTICS	EURO STANDARD EN-159/IS 13753	INDESIGN VALUE
DIMENSION & SURFACE QUALITY		
Dimension & Surface Quality	± 0.5%	± 0.4%
Deviation in Thickness	± 0.6 mm	± 0.3 mm
Straightness of sides	± 0.3%	± 0.2%
Rectangularity	± 0.5%	± 0.3%
Surface Flatness	± 0.5%	± 0.3%
Surface Quality	Min. 95%	Min. 96%
PHYSICAL PROPERTIES		
Water Absorption	> 10%	12-15%
Bending Strength	> 150 kg./cm ²	150-180 kg./cm ²
Scratch hardness (Mohs)	Min. 3	Min. 3
Crazing	1 Cycle	No Crazing at 4 Cycles
CHEMICAL PROPERTIES		
Staining Resistance	Min Class 2	Resistance to all Acids And Alkalies & Household Chemicals, except Hydro Flouric Acid
Household Chemical	Min Class B	
THERMAL PROPERTIES		
Thermal Shock	Resistant to 10 Cycles	CONFORMS
Thermal Expansion	Max. 9E-06	CONFORMS

> PACKING DETAILS

Size	Thickness (approx)	Tiles / Box	Coverage Area / Box	Wt. of Box (approx)
300x600mm	9.5mm	5 pcs.	0.90 sq. mtr.	14.5 kgs.

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.
2. Our conformity to the above Fast is applicable only for Quality.
3. Colour shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However the company reserve the right to change the specification without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. It is suggest to check the tiles before purchase any laying as the company dose not accept responsibility once the tiles are laid.

